

> PRINT > COPY > SCAN > FAX

ECOSYS M3660idn

A4 BLACK AND WHITE MULTIFUNCTIONAL





This powerful MFP with speeds of up to 60 ppm is designed to handle even the largest print runs at an extremely low cost per page. It can be complemented with additional paper cassettes holding up to 2,600 pages in total and can easily be integrated into your existing business workflows thanks to the open solution platform HyPAS[™]. The long-life components guarantee the reliability and productivity you expect from a genuine KYOCERA device. Additionally, the low printing costs will save you money with each and every print.



ECosys® The ECOSYS M366oidn incorporates extremely durable components that guarantee efficient and reliable operation, to meet the demanding requirements of busy office environments. It combines effective productivity and maximum flexibility whilst ensuring minimum impact on the environment.

GENERAL

Technology: KYOCERA ECOSYS, Laser, Black & White,

Operation panel: 177.8 mm (7 inch) full-colour touch panel display, speaker for job notification, Tilt Mechanism

display, speaker for job notification, intermentation Type: Desktop Engine speed: Up to 60 pages A4 per minute Duplex copy speed: 43 page per minute, A4 Resolution: 1200 x 1200 dpi (print), 600 x 600 dpi (scan/copy) Warm-up time: Approx. 25 seconds or less Time to first print: Approx. 4.9 seconds or less in black and white

and white

Time to first copy: Approx. 6 or less in black and white (DP), Approx. 7 or less in black and white (Platen) CPU: ARM Cortex-A9 Dual core 1.2GHz + ARM Cortex-M3 ooMHz

100MHz Memory: Standard 1GB, Max. 3GB + 128GB SSD Standard interface: USB 2.0 (Hi-Speed), 2 x USB Host Interface, Gigabit Ethernet (10BaseT/100BaseTX/ 1000BaseT, IPvG, IPv4, IPv2, IPSeO, optional Wi-Fi (IEEE 802.11b/g/n), 1 eKUIO slot for optional Wi-Fi (IEEE 802.11b/g/n), 1 eKUIO slot for optional winternal print server, Slot for optional SD Card Integrated accounting: 100 department codes Dimensions (W x D x H): 480 x 495 x 590 mm Weipht: Anorox 2 a 1 kg

Weight: Approx. 24.1 kg Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption

Printing: 723 W

Copying: 746 W Low power mode: 30 W Ready mode: 54 W Sleep-mode: 0.5 W

Noise (sound pressure level: ISO 7779/ISO 9296) Copying/Printing: 57 dB (A) Stand-by: 30 dB (A) Safety standards: TÜV/GS, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

PAPER HANDLING

All paper capacities quoted are based on paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions. Input capacity:

Input capacity: Multi-purpose tray: 100 sheets, 60–220g/m², A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (70 x 148 to 216 x 356 mm). Standard universal paper cassette: 500 sheet, 60–120 g/m², A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (105 x 148 to 216 x 356 mm). Max. input capacity with options: 2,600 sheets A4 Duplex: Standard duplex unit, 60–120 g/m², A4, A5, B5,

Letter, Legal

Document Processor: Dual scan document processor as standard with double feed detection sensor, 100 sheets, 50–120 g/m², A4, A5, A6, B5, Letter, Legal, Custom (105 x 148 to 216 x 356 mm)

Output capacity: Max. 500 sheets face-down with paper full sensor

PRINT FUNCTIONS

Controller language: PRESCRIBE II

Emulations: PCL6 (5C/XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, AES support, TIFF/JPEG Direct Print Support, Open XPS, Line Printer, IBM Proprinter X24E. Epson LO-850

Operating systems: All current Windows operating systems, MAC OS X Version 10.8 or higher, Unix, Linux as well as other operating systems on request

other operating systems on request Fonts/barcodes: 93 outline fonts (PCL6/KPDL 3), 8 fonts (Windows), 1 Bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417) Print features: PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPSec, SNMPv3 Mobile printing support: KYOCERA Mobile Print app for iOS and Android, KYOCERA MyPanel, AirPrint, Mopria, Direct Wi-Fi (Ont) Google cloud print Wi-Fi (Opt), Google cloud print

COPY FUNCTIONS

Max. original size: A4/Legal

Continuous copying: 1–999 Zoom range: 25–400% in 1% steps Preset magnification ratios: 7 Reductions / 5 Enlargements Image adjustments: Text + Photo, Photo, Text, Chart/Map, Printing Document

Features: Electronic sort (collate), ID card copy, 2in1, 4in1, auto cassette change, Skip blank page

SCAN FUNCTIONS

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB Scan to USB Host, Scan-to-box/Network TWAIN, WIA, WSD

Scan speed: 60 ipm (300 dpi, A4, black and white), 40 ipm (300 dpi, A4 colour), 100 ipm (300 dpi, A4, black and white) (Duplex), 64 ipm (300 dpi, A4 colour) (Duplex) **Scan resolution:** 600, 400, 300, 200 dpi, 256 greyscales per colour

Max. scan size: A4, Legal, Banner paper (max 915mm) Original recognition: Text, photo, text + photo, light text, optimised for OCR

Diffield the Start Start

Compression method: MMR/IPEG

Features: Banner Scan, Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip

FAX FUNCTIONS

Compatibility: Super G₃ Modem speed: Max. 33.6 kbps Transmission speed: Max. 3 seconds (JBIG) Scanning speed: 2.0 seconds or less Address book: 200 entries

Scanning density: Normal: 8 dot/mm x 3.85 line/mm (200 x 100 dpi) Fine: 8 dot/mm x 7.7 line/mm (200 x 200 dpi) Superfine: 8 dot/mm x 15.4 line/mm (200 x 400 dpi) Ultrafine: 16 dot/mm x 15.4 line/mm (400 x 400 dpi) Halftone: 256 grey scales

Maximum original size: A4/Legal, Banner (max 915mm) Compression method: JBIG, MMR, MR, MH Memory reception: 256 sheets or more **Features:** Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

CONSUMABLES

Average continuous toner yield in accordance ISO/IEC 19752 Toner Kit TK-3190, Micro fine black for 25,000 pages Ataple: SH-13 Staple cartridge: 2 x 1,500 staples for MS-5100

OPTIONS

Scan Extension Kit (A): Scan to searchable PDF (embedded OCR) or to MS Office (docx, xlsx, pptx) *HD-6, HD-7 or SD-card is needed. Paper handling PF-310 Paper feder (max 4 units): 500 sheets, 50–120

g/m², A4, A5, B5, Letter, Legal, Custom (92 x 162 mm to 216 x 356 mm)

PT-320 Face-up output tray (250 sheet) Stapler

MS-5100 / MS-5100 B: 20 sheets, one position semi-automatic stapling, includes, 1,500 staples

Storage HD-6 SSD: 32 GB for easy document management HD-7 SSD: 128 GB for easy document management

Security Data Security Kit (E): In line with ISO 15408

Data Security Kit (E): In line with ISO 15408 (Common Criteria) with security level EAL2 *HD-6, HD-7 or SD-card is needed Memory upgrade: 512MB/1GB/2GB UG-33: ThinPrint support USB IC Card Reader + Card Authentication Kit (B): Support for various authentication keys available IC Card Reader Holder 10: To integrate the USB IC Card Optional interface **Optional interface**

IB-36: Direct Wi-Fi Interface & WLAN Interface IB-50: Gigabit-Ethernet board 10 BaseT/100 BaseTX/1,000

BaseT **IB-51:** Wireless LAN Interface (802.11b/g/n)

CB-36oW Cabinet High: Wooden desk with storage capacity. Approx. 38 cm x 41 cm x 51 cm (W x D x H) CB-365W Cabinet Low: Wooden desk with storage capacity. Approx. 38 cm x 41 cm x 25 cm (W x D x H)

WARRANTY

2-year warranty as standard.** KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

KYOLIFE Up to 5-year on-site warranty extensions available for product and options.



KYOCERA Document Solutions (UK) Ltd Eldon Court, 75-77 London Road, Reading RG15BS Tel: 0118 931 1500, Fax: 0118 931 1108

www.kyoceradocumentsolutions.co.uk, info@duk.kyocera.com

* KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

** Depending on the country



