



XC6152

Full featured colour A4
multifunction device



XC6152de with 3 trays and
optional finisher



Look sharp for less
with gorgeous
colour and
professional finishing



Quick speed for
productivity with the
functionality and
reliability you need⁵



Workflow
smoothing solutions
and flexibility



Sensitive data
stays secure



Cut costs while
being environmentally
responsible



LexmarkTM

Get more power and save money



Save time with the XC6152's integrated software and solutions. Stay productive with print and scanning speeds fast enough to keep work moving. Look sharp with gorgeous colour and finishing options.

- ▶ Copier capabilities in an affordable, space-saving device
- ▶ Up to 50 pages per minute ⁵ print speeds
- ▶ Spend less time on supplies with high-yield toner capacity and shake-free science
- ▶ Broad finishing options

Quick speed for productivity with the functionality and reliability you need

Productivity stays high when even large colour print jobs complete quickly. With copier-like print speeds of up to 50 ppm the XC6152 keeps you going.

Minimise wait time when a job is complete before you even leave your chair with the XC6152's ability to print a single colour page in as little as 7 seconds.

Spend less and power through complex print jobs with large, high-resolution photos and graphics. The powerful standard print controller has the processing power you need built-in.

Compare that to expensive add-on third-party print controllers.

Digital workflows and paper documents won't slow you down. The XC6152 scans up to 114 images per minute, combined with the powerful quad-core processor, your information is captured and made available to you and your network applications fast.

Work from wherever, print whenever you want with mobile printing from iOS, Android and Windows Mobile devices and optional wireless and NFC direct mobile printing from smartphones and tablets. The XC6152 is also Google Cloud Print, Apple Airprint 1.5 and Mopria ready.

Better access for all with the tilting eTask panel that makes the interface viewable for users at all heights, drawers and paper guides that move effortlessly, and standard headphone jack and talk-back features to help users with limited vision engage with the device*.

* Meets advanced Section 508 and European Standard EN 301 549 guidelines for accessibility.



Look sharp for less with gorgeous colour and professional finishing

Colour so accurate and affordable, you can do everything in-house. You can match all of your brand colours and have accurate colour output without having to pay a premium. Lexmark Colour Replacement combines spot colour replacement and RGB replacement for precision matching of critical colours. PANTONE® calibration and embedded colour sample pages help you nail perfect colour at the design stage. Lexmark's 4800 colour quality is ultra-sharp even at full speed.

Get the perfect finish with finishing options that meet your business needs.

More media choices makes your MFP multi-talented. From 300 gsm—one of the thickest media available in cut sheet to print signage or booklet covers—to tissue-thin paper such as 70 gsm, and all the vinyl, labels, cardstock, envelopes, and banners in between, the XC6152 makes you shine.

Less hassle with a high input capacity comparable to light production A3 digital copiers. With up to 4,500 sheets of input capacity, paper is less likely to run out, so you don't have to wait or intervene to finish printing.

Improve your productivity with the XC6152 that keeps on running

- ▶ Toner cartridges yield up to 25,000 pages¹
- ▶ Photoconductor lasts up to 175,000 pages⁶
- ▶ No shake Unison™ Toner cartridges mean perfect prints to the last page without interruption

Advanced scanning technology

Connect your digital systems and your unstructured content with ease. The advanced scanning technology on the XC6152 makes it fast and hassle-free.

- ▶ Improve scanning productivity and capture efficiency by reducing the time involved in manual document preparation and automatically enhancing the quality of scanned images with the Lexmark VirtualReScan (VRS) integration option*
- ▶ Remove blank pages automatically with blank page detection and removal
- ▶ Scan a stack of mixed sized originals at full speed
- ▶ Keep things fast and file sizes small with colour detection that scans in mono if no colour is found
- ▶ Reduce file sizes and maintain information accuracy with Mixed Raster Content (MRC) file compression
- ▶ Achieve accurate, high resolution images with Charged Coupled Device (CCD) sensors and five-piece optical glass lenses
- ▶ Don't waste time restarting a job. Page-level jam recovery picks up where the job left off



* Virtual ReScan integration with Lexmark TotalAgility

Workflow smoothing solutions and flexibility

Bridge the gap between your paper documents and software systems with the fully-configurable device-based apps available on the Lexmark XC6152. The built in productivity solutions future-proof your investment.

Standard eSF apps shipping with this series include*:



AccuRead OCR

In less time than it takes to enter data manually, your organisation can create searchable files or editable content using the included AccuRead OCR. Other vendors charge extra for this critical capability.



Scan Centre

One app to send your scanned documents to multiple destinations simultaneously with optional delivery confirmations.



Forms and Favourites

Keep frequently used forms and documents easy to access and save money by eliminating preprinted forms.



Card Copy

Capture both sides of ID/credit cards, print on one side of paper and save to a network folder.



Address Book

Manage the device's internally stored user data, contacts and scan destinations from the e-Task touch screen or the embedded web server.



See the possibilities with our intuitive interface

Minimise the need for training with the familiar, modern, tablet-like capabilities of our eTask interface on a bright 17.8 cm (7-inch) class colour touch screen. Use swipe and touch gestures to navigate the intuitive interface to access convenient features, including:

- ▶ Preview your entire print job
- ▶ Print Microsoft Office and other file types from USB or mobile devices
- ▶ Customise shortcuts and bookmarks
- ▶ Realise your return on investment with true integration
- ▶ Access corporate address book for quick document routing
- ▶ Enable user tracking, accounting and permissions for cost and print management

* Additional device-based apps may ship with the device and additional apps can be added.

XC6152



1. **Intuitive colour touch screen with new eTask interface** A bright 17.8 cm (7-inch) screen uses familiar swipe and touch gestures, minimising training time to get users up to speed.



Up to 114 ipm

2. **Advanced scanner with duplex automatic document feeder (ADF)** Save time by scanning both sides of your document in one pass with robust colour scanning capabilities and an input capacity of up to 150 sheets.



3. **Direct printing** Microsoft Office files and other document and image types print right from flash drives. You can even preview jobs on the eTask screen prior to printing.



4. **Finishing options** Choose from a compact staple finishing option to further enhance productivity.



5. **Unison™ Toner system with long-life supplies** Unison™ Toner delivers consistently outstanding image quality plus long-life system reliability and amazing sustainability in a high-yield, no-shake design.



6. **Software solutions** Combine eSF capabilities with additionally purchased Lexmark fleet management tools and your existing software and technical infrastructure to form the Lexmark smart MFP ecosystem. Its adaptability future-proofs your investment in Lexmark colour laser technology.



7. **Expandable input** Print on multiple paper types and boost input capacity to 4,500 sheets.

Sensitive data stays secure

Authorise and authenticate who and what gets access to your network, along with remote monitoring and management.

Protect your device on all fronts with port and connection filtering to limit active access and encryption and wiping of the optional hard disk to secure sensitive print job data. Digital signatures on firmware updates keep hackers at bay.

Authentication to fit your protocols from badge readers, PIN or passwords. Once users are authenticated the connection to your network is fully secure.

Put a stop to data leaks on the standard hard disk with 256-bit AES encryption and encryption keys stored in the MFP's memory, not the hard disk. Data is almost impossible to read if the hard drive is removed.

Cut costs while being environmentally responsible

Save power with multiple power saving modes. Sleep mode uses less than 3.5 watts between jobs. Hibernate mode uses less than half a watt during scheduled on/off periods.

Save paper and toner with standard double-sided printing, printing images a lighter shade with the ColourSaver feature that still leaves text dark and readable and the Eco Copy solution are just some of the eco-friendly options.

Save energy and more with Lexmark Unison™ Toner that fuses at a lower temperature, requiring less energy. Through free and easy Lexmark Cartridge Collection Programme (LCCP) ship empty cartridges back to recycling centres for sustainable recycling.



Lexmark Sustainability

For Lexmark, commitment to the environment isn't a marketing tagline, it's a core value backed up by real action and results. We are forward thinking, innovative, and driven to sustain a healthy planet for generations to come. For our customers and partners we bring this passion, our leading technology and a deep understanding of industry-specific business processes to continuously improve their efficiency as well as our own.


Lexmark products meet globally recognised environmental standards*.

- ▶ Energy Star™
- ▶ Blue Angel compliant, certification in process
- ▶ EPEAT™

For more information on Lexmark's sustainability initiatives, visit csr.lexmark.com

* Energy Star V2.0 for Imaging Equipment (EU RoHS and Section 4.3.1.1 of IEEE 1680.2-2).

Ordering information.



P/N

42K1135

P/N

24B6511
24B6508
24B6509
24B6510
72K0DK0
72K0DC0
72K0DM0
72K0DY0
72K0DV0
72K0P00
72K0Q00
25A0013
72K0W00
72K0FK0

72K0FV0

P/N

21K0567
21K0237
42K2000
42K2300
42K1267
42K1268
42K1597
42K1598

P/N

57X9022
57X9801

P/N

27X0400

P/N

21K2501

P/N

57X7020

P/N

21K0127
21K0128
21K0129

P/N

57X9810
57X9812
57X9814
57X9815

P/N

27X0309

P/N

14F0100
14F0000

P/N

57X0085

P/N

1021231
1021294

P/N

SPD0001
SPD0002

Model

Lexmark XC6152de

Laser toner/print cartridge

XC6152, XC8155 Black Toner Cartridge
XC6152, XC8155 Cyan Toner Cartridge
XC6152, XC8155 Magenta Toner Cartridge
XC6152, XC8155 Yellow Toner Cartridge
Black Return Programme Developer Unit
Cyan Return Programme Developer Unit
Magenta Return Programme Developer Unit
Yellow Return Programme Developer Unit
Colour (CMY) Return Programme Developer Kit
Photoconductor - 1 Pack
Photoconductor - 3 Pack
Staple Cartridges (3 pack)
Waste Toner Bottle
Black Return Programme Developer and Photoconductor Unit Pack
Colour (CMY) Return Programme Developer Kit and Photoconductors Pack

Paper handling

550-Sheet Tray
2200-Sheet Tray
CS/CX820 Staple Finisher
CX825/CX860 Staple Finisher
Multiposition Staple, Hole Punch Finisher LV
Multiposition Staple, Hole Punch Finisher HV
Multiposition Staple, Hole Punch Finisher (Tall) LV
Multiposition Staple, Hole Punch Finisher (Tall) HV

Memory options

2GB DDR3 SO-DIMM (x64)
256MB User Flash

Hard Disk

320+GB Hard Disk Drive

Furniture

Caster Base

Furniture

CX82x/86x Keyboard Kit - English

Firmware Cards

Forms and Bar Code(FMBC) eMMC Card
IPDS eMMC Card
PRESCRIBE eMMC Card

DBCS Font Cards

Traditional Chinese Font Card
Simplified Chinese Font Card
Korean Font Card
Japanese Font Card

Wireless Print Server

Lexmark MarkNet 8360 802.11b/g/n/a Wireless Print Server plus Bluetooth, NFC, Dual Band

Local Interface Cards

RS-232C Serial Interface Card
Parallel 1284-B Interface Card

Security

Lexmark Security Module


Cables

Parallel Cable (10 ft.)
USB 2.0 Cable (2m)

Connectivity / Accessories

Surge Protection Device LV
Surge Protection Device HV


Lexmark XC6152



2200-Sheet High Capacity Tray

100-Sheet Multipurpose Feeder

17.8 cm (7-inch) Colour Touch Screen



In-line Finisher

550-Sheet Input

550-Sheet Tray

550-Sheet Tray

550-Sheet Tray

Caster Base

Standard
Optional

Product specifications	Lexmark XC6152de	Lexmark XC6152dtfe
Print		
Display	Lexmark e-Task 17.8 cm (7-inch) colour touch screen	
Print Speed: Up to ²	Black: 50 ppm / Colour: 50 ppm	
Time to First Page: As fast as	Black: 7 seconds / Colour: 7 seconds	
Print Resolution	Black: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)	
Memory	Standard: 2048 MB / Maximum: 4096 MB	
Hard Disk	Included in configuration	
Recommended Monthly Page Volume ⁶	2500 - 25000 pages	
Maximum Monthly Duty Cycle: Up to ⁴	200000 pages per month	
Copy		
Copy Speed: Up to ²	Black: 50 cpm / Colour: 50 cpm	
Time to First Copy: as fast as	Black: 6.5 seconds / Colour: 7.5 seconds	
Scan		
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass Duplex)	
A4/Ltr Duplex Scan Speed: Up to	Black: 114 / 120 sides per minute / Colour: 114 / 120 sides per minute	
A4/Ltr Simplex Scan Speed: Up to	Black: 57 / 60 sides per minute / Colour: 57 / 60 sides per minute	
Fax		
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps	
Supplies		
Laser Cartridge Yields (up to) ¹	25,000-page Black Extra High Yield Cartridge, 20,000-page Colour (CMY) Extra High Yield Cartridges	
Photoconductor Estimated Yield: Up to ³	175000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage	
Cartridge(s) Shipping with Product ⁷	8,000-page Black and Colour (CMYK) Return Program Toner Cartridges	
Paper Handling		
Included Paper Handling	550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 300-Sheet Output Bin	550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 2 x 550-Sheet Tray, Inline Stapler, 300-Sheet Output Bin
Optional Paper Handling	550-Sheet Tray, Inline Stapler, 2200-Sheet Tray	550-Sheet Tray, 2200-Sheet Tray
Paper Input Capacity: Up to	Standard: 650 pages 75 gsm bond / Maximum: 4500 pages 75 gsm bond	Standard: 1750 pages 75 gsm bond / Maximum: 4500 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 300 pages 75 gsm bond / Maximum: 300 pages 75 gsm bond	
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Labels, Plain Paper, Polyester Labels, Vinyl Labels, Refer to the Card Stock & Label Guide., Banner Paper	
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C4 Envelope, C5 Envelope, DL Envelope, Index Card, Executive, Folio, JIS-B5, Legal, Letter, 4 x 6", Statement, Universal, Oficio, A6	
General Information ⁵		
Standard Connectivity	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Two Front USB 2.0 Specification Hi-Speed Certified port (Type A)	
Optional Network Ports	Internal MarkNet N8360 802.11b/g/n Wireless, NFC	
Noise Level: Operating	Print: 55 dBA / Copy: 58 dBA / Scan: 55 dBA	
Specified Operating Environment	Humidity: 15 to 80% Relative Humidity, Temperature: 10 to 32°C, Altitude: 0 - 2896 Meters (9,500 Feet)	
Size (mm - H x W x D) / Weight	763 x 559 x 588 mm / 82.3 kg	1137 x 649 x 588 mm / 146.5 kg

¹Average yield at approximately 5% print coverage per colour. ²Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ³Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁴"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁵Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁶"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁷ Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners.

ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.

