



# XC8155

High performance colour A4  
multifunction device



Look sharp for less  
with business class  
colour and finishing



Productivity boosting  
speed, functionality  
and reliability



Workflow  
smoothing solutions  
and flexibility



Sensitive data  
stays secure



Cut costs while  
being environmentally  
responsible



Lexmark™

# Get more power and save money



All the business class features you need to save time and be productive, without spending more on an expensive A3 copier. Fast print and scanning speeds, professional colour, and integrated software and solutions make the XC8155 a smart and cost effective choice.

- ▶ Copier capabilities in an affordable, space-saving device
- ▶ Up to 52 pages per minute<sup>3</sup> print speeds and scan up to 114 pages per minute (duplex)
- ▶ Spend less time replacing supplies with high-yield toner capacity and shake-free science
- ▶ Broad finishing options

## Affordable in-house colour production

**Productivity stays high** when even large colour print jobs complete quickly. With copier-like print speeds of up to 52 ppm the XC8155 keeps you going.

**Minimise wait time** with the XC8155's ability to print a single colour page in as little as 6.5 seconds.

**Spend less and power through** complex print jobs with large, high-resolution photos and graphics. The powerful standard print controller has the processing power you need built-in. Compare that to expensive add-on third-party print controllers

**Digital workflows and paper documents** won't slow you down. The XC8155 has a faster scanner than most light production A3/11x17 copiers and comparable A4 devices. At up to 114 images per minute, combined with the powerful quad-core processor, your information is captured and made available to you and your network applications fast.

**Work from wherever, print where you want** with mobile printing from iOS, Android and Windows Mobile devices, and optional wireless and NFC direct mobile printing from smartphones and tablets. The XC8155 is also Google Cloud Print, Apple Airprint 1.5 and Mopria ready.

**Better access for all** with the tilting eTask panel that makes the interface viewable for users at all heights, drawers and paper guides that move effortlessly, and standard headphone jack and talk-back features to help those with limited vision engage with the device\*.

**Robust construction puts your mind at ease** knowing the XC8155's steel frame construction can withstand the physical abuse of the most challenging manufacturing environment, the continuous demands of high page use office environments, and everything in between.

\* Meets advanced Section 508 and European Standard EN 301 549 guidelines for accessibility. Available mid 2016



## Look sharp for less with business class colour and finishing

### **Colour so accurate and affordable, you can print colour in-house.**

You can match all of your brand colours and have accurate colour output without having to pay a premium at an outside facility. Lexmark Colour Replacement combines spot colour replacement and RGB replacement for precision matching of critical colours. PANTONE® calibration and embedded colour sample pages to help you nail perfect colour at the design stage. Lexmark's 4800 colour quality is ultra-sharp even at full speed.

**Get the perfect finish** with configuration options that include your choice of a compact in-line staple finisher or finisher with multi-position stapler and hole punch.

**More media choices makes your MFP multi-talented.** From 300 gsm—one of the thickest media available in cut sheet, to print signage or booklet covers—to tissue-thin paper such as 70 gsm, and all the vinyl, labels, cardstock, envelopes, and banners in between, the XC8155 makes you shine.

**Less hands-on hassle with a high input capacity** comparable to light production A3 digital copiers. With 4,500 sheets of input capacity—more than any in its class—paper is less likely to run out, so you don't have to wait or intervene to finish printing.

### **Improve your productivity with the XC8155 that keeps on running**

- ▶ Toner cartridges yield up to 25,000 pages\*
- ▶ Photoconductor lasts up to 175,000 pages<sup>4</sup>
- ▶ Developers and maintenance items run for up to 300,000 pages<sup>5</sup>
- ▶ No shake Unison™ Toner cartridges mean perfect prints to the last page without interruption

## Advanced scanning technology

Connect your digital systems with your unstructured content with ease. The advanced scanning technology on the XC8155 makes it fast and hassle-free.

- ▶ Improve scanning productivity and capture efficiency by reducing the time involved in manual document preparation and automatically enhancing the quality of scanned images with the Lexmark VirtualReScan (VRS) integration option\*\*
- ▶ Remove blank pages automatically with blank page detection and removal
- ▶ Scan a stack of mixed sized originals at full speed
- ▶ Keep things fast and file sizes small with colour detection that scans in mono if no colour is found
- ▶ Reduce file sizes and maintain information accuracy with Mixed Raster Content (MRC) file compression
- ▶ Achieve accurate, high resolution images with Charged Coupled Device (CCD) sensors and five-piece optical glass lenses
- ▶ Don't waste time restarting a job. Page-level jam recovery picks up where the job left off



\* Based on approximately 5% print coverage. Actual yields may vary based on factors such as page coverage, image type, job size, print/copy/fax modes and duplexing.

\*\* Virtual ReScan integration with Lexmark TotalAgility



## Workflow smoothing solutions and flexibility

Bridge the gap between your paper documents and software systems with the fully-configurable device-based apps available on the Lexmark XC8155. The built in productivity solutions future-proof your investment.

Standard device-based apps shipping with this series include\*:




### AccuRead OCR

In less time than it takes to enter data manually, your organisation can create searchable files or editable content using the included AccuRead OCR. Other vendors charge extra for this critical capability.



### Scan Centre

One app to send your scanned documents to multiple destinations simultaneously with optional delivery confirmations.



### Forms and Favourites

Keep frequently used forms and documents easy to access and save money by eliminating preprinted forms..



### Card Copy

Capture both sides of ID/credit cards, print on one side of paper and save to a network folder.



### Address Book

Manage the device's internally stored user data, contacts and scan destinations from the e-Task touch screen or the embedded web server.

## See the possibilities with our intuitive interface

Minimise the need for training with the familiar modern tablet-like capabilities of our eTask interface on a bright 25 cm (10-inch) class colour touch screen. Use swipe and touch gestures to navigate the intuitive interface to access convenient features, including:

- ▶ Preview your entire print job
- ▶ Print Microsoft Office and other file types from USB or mobile devices
- ▶ Customise shortcuts and bookmarks
- ▶ Realise your return on investment fast with true integration
- ▶ Access corporate address book for quick document routing
- ▶ Enable user tracking, accounting and permissions for cost and print management

\* Additional device-based apps may ship with the device and additional apps can be added.

# XC8155



## 1. Intuitive colour touch screen with new eTask interface

A bright 25 cm(10-inch) screen uses familiar swipe and touch gestures, minimising training time to get users up to speed.



Up to 114 ipm

## 2. Advanced colour scanner with duplex automatic document feeder (ADF)

Save time by scanning both sides of your document in one pass with robust colour scanning capabilities and an input capacity of up to 150 sheets.



## 3. Direct printing

Microsoft Office files and other document and image types print right from flash drives. You can even preview jobs on the eTask screen prior to printing.



## 4. Finishing options

Choose from a compact staple finishing option or Professional Finisher 1950 with multi-position stapling and hole punch to further enhance productivity.



## 5. Unison™ Toner system with long-life supplies

Unison™ Toner delivers consistently outstanding image quality plus long-life system reliability and amazing sustainability in a high-yield, no-shake design.



## 6. Software solutions

Combine device-based app capabilities with additionally purchased Lexmark fleet management tools and your existing software and technical infrastructure to form the Lexmark smart MFP ecosystem. Its adaptability future-proofs your investment in Lexmark colour laser technology.



## 7. Expandable input

Print on multiple paper types and boost input capacity to 4,500 sheets.

### Sensitive data stays secure

**Authorise and authenticate** who and what gets access to your network along with remote monitoring and management.

**Protect your device on all fronts** with port and connection filtering to limit active access and encryption and wiping of the optional hard disk to secure sensitive print job data. Digital signatures on firmware updates keep hackers at bay.

**Authentication to fit your protocols** from badge readers, PIN or passwords. Once users are authenticated, the connection to your network is fully secure.

**Put a stop to data leaks** on the standard hard disk with 256-bit AES encryption and encryption keys stored in the MFP's memory, not the hard disk. Data is almost impossible to read if the hard drive is removed.

### Cut costs while being environmentally responsible

**Save power and keep up to speed** with multiple power saving modes. Sleep mode uses less than 3.5 watts between jobs. Hibernate mode uses less than half a watt during scheduled on/off periods. Proximity sensors wake your MFP when you approach or place documents on the ADF or scanner bed, so it is ready to go when you are.

**Save paper and toner** with standard double-sided printing, printing images a lighter shade with the ColourSaver feature that still leaves text dark and readable and the Eco Copy solution are just some of the eco-friendly options.

**Save energy and more** with Lexmark Unison™ Toner that fuses at a lower temperature, requiring less energy. Through free and easy Lexmark Cartridge Collection Programme (LCCP) ship empty cartridges back to recycling centres for sustainable recycling.



#### Lexmark Sustainability

For Lexmark, commitment to the environment isn't a marketing tagline, it's a core value backed up by real action and results. We are forward thinking, innovative, and driven to sustain a healthy planet for generations to come. For our customers and partners we bring this passion, our leading technology and a deep understanding of industry-specific business processes to continuously improve their efficiency as well as our own.


Lexmark products meet globally recognised environmental standards.\*

- ▶ Energy Star™
- ▶ Blue Angel
- ▶ EPEAT™

For more information on Lexmark's sustainability initiatives, visit [csr.lexmark.com](https://csr.lexmark.com)

\* Energy Star V2.0 for Imaging Equipment (EU RoHS and Section 4.3.1.1 of IEEE 1680.2-2).

## Ordering information.

**P/N**

42K1435  
42K1485

**Model**

Lexmark XC8155de  
Lexmark XC8155dte

**P/N**

24B6511  
24B6508  
24B6509  
24B6510  
72K0DK0  
72K0DC0  
72K0DM0  
72K0DY0  
72K0DV0  
72K0P00  
72K0Q00  
25A0013  
72K0W00

**Laser toner/print cartridge**

XC6152, XC8155 Black Toner Cartridge  
XC6152, XC8155 Cyan Toner Cartridge  
XC6152, XC8155 Magenta Toner Cartridge  
XC6152, XC8155 Yellow Toner Cartridge  
Black Return Programme Developer Unit  
Cyan Return Programme Developer Unit  
Magenta Return Programme Developer Unit  
Yellow Return Programme Developer Unit  
Colour (CMY) Return Programme Developer Kit  
Photoconductor - 1 Pack  
Photoconductor - 3 Pack  
Staple Cartridges (3 pack)  
Waste Toner Bottle  
Black Return Programme Developer and Photoconductor Unit Pack  
Colour (CMY) Return Program Developer Kit and Photoconductors Pack

**P/N**

21K0567  
21K0237  
42K2300  
42K1268  
42K1598

**Paper handling**

550-Sheet Tray  
2200-Sheet Tray  
CX825/CX860 Staple Finisher  
Multiposition Staple, Hole Punch Finisher  
Multiposition Staple, Hole Punch Finisher (Tall)

**P/N**

57X9022  
57X9801

**Memory options**

2GB DDR3 SO-DIMM (x64)  
256MB User Flash

**P/N**

27X0400

**Hard Disk**

320+GB Hard Disk Drive

**P/N**

21K2501

**Furniture**

Caster Base

**P/N**

57X7020

**Furniture**

CX82x/86x Keyboard Kit - English

**P/N**

21K0127  
21K0128  
21K0129

**Firmware Cards**

Forms and Bar Code(FMBC) eMMC Card  
IPDS eMMC Card  
PRESCRIBE eMMC Card

**P/N**

57X9810  
57X9812  
57X9814  
57X9815

**DBCS Font Cards**

Traditional Chinese Font Card  
Simplified Chinese Font Card  
Korean Font Card  
Japanese Font Card

**P/N**

27X0309

**Wireless Print Server**

Lexmark MarkNet 8360 802.11b/g/n/a Wireless Print Server plus Bluetooth, NFC, Dual Band

**P/N**

14F0100  
14F0000

**Local Interface Cards**

RS-232C Serial Interface Card  
Parallel 1284-B Interface Card

**P/N**

57X0085

**Security**

Lexmark Security Module

**P/N**

1021231  
1021294

**Cables**

Parallel Cable (10 ft.)  
USB 2.0 Cable (2m)


**P/N**

SPD0002

**Connectivity / Accessories**

Surge Protection Device

# Lexmark XC8155



Product specifications	Lexmark XC8155de	Lexmark XC8155dte
Printing		
Display	Lexmark e-Task 25 cm (10-inch) class colour touch screen	
Print Speed: Up to <sup>3</sup>	Black: 52 ppm / Colour: 52 ppm	
Time to First Page: As fast as / Time to First Page: as fast as	Black: 8 seconds / Colour: 9 seconds	Black: 6.5 seconds / Colour: 6.5 seconds
Print Resolution	Black: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)	
Memory	standard: 2048 MB / maximum: 4096 MB	
Hard Disk	as standard	
Recommended Monthly Page Volume <sup>7</sup>	3,000 - 30,000 Pages	
Maximum Monthly Duty Cycle: Up to <sup>5</sup>	250,000 pages per month	
Copying		
Copy Speed: Up to <sup>3</sup>	Black: 52 cpm / Colour: 52 cpm	
Time to First Copy: As fast as / Time to First Copy: as fast as	black: 6.5 seconds / colour: 7.0 seconds	
Scanning		
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass Duplex)	
A4/Ltr Duplex Scan Speed: Up to	Mono: 114 / 120 sides per minute / Colour: 114 / 120 sides per minute	
A4/Ltr Simplex Scan Speed: Up to	Mono: 57 / 60 sides per minute / Colour: 57 / 60 sides per minute	
Faxing		
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps	
Supplies <sup>2</sup>		
Laser Cartridge Yields (up to) <sup>1</sup>	25,000-page Black Extra High Yield Cartridge, 20,000-page Colour (CMY) Extra High Yield Cartridges	
Photoconductor Estimated Yield: Up to <sup>4</sup>	175,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage	
Cartridge(s) Shipping with Product <sup>8</sup>	17,000-page Colour (CMY) High Yield Return Programme Toner Cartridges, 25,000-page Black Extra High Yield Return Programme Cartridge	
Paper Handling		
Included Paper Handling	550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 500-Sheet Output Bin	550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 2 x 550-Sheet Tray, 500-Sheet Output Bin
Optional Paper Handling	550-Sheet Tray, Staple Punch Finisher, Inline Stapler, 2,200-Sheet Tray	
Paper Input Capacity: Up to	Standard: 650 pages 75 gsm bond / Maximum: 4,500 pages 75 gsm bond	Standard: 1,750 pages 75 gsm bond / Maximum: 4,500 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 500 pages 75 gsm bond / Maximum: 1,950 pages 75 gsm bond	
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Labels, Plain Paper, Polyester Labels, Vinyl Labels, Refer to the Card Stock & Label Guide., Banner Paper	
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C4 Envelope, C5 Envelope, DL Envelope, Index Card, Executive, Folio, JIS-B5, Legal, Letter, 4 x 6", Statement, Universal, Oficio, A6	
General Information <sup>6</sup>		
Standard Ports	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Two Front USB 2.0 Specification Hi-Speed Certified port (Type A)	
Optional Network Ports	Internal MarkNet N8360 802.11b/g/n Wireless, NFC	
Noise Level: Operating	Print: 56 dBA / Copy: 59 dBA / Scan: 56 dBA	
Specified Operating Environment	Humidity: 15 to 80% Relative Humidity, Temperature: 10 to 32°C, Altitude: 0 - 2,896 Metres (9,500 Feet)	
Size (mm - H x W x D) / Weight	813 x 559 x 588 mm / 83.2 kg	933 x 559 x 588 mm / 143 kg

<sup>1</sup>Average yield at approximately 5% print coverage per colour. <sup>2</sup>Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/regions](http://www.lexmark.com/regions) for more details. <sup>3</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>4</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. <sup>5</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>6</sup>Printers are sold subject to certain license/agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details. <sup>7</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>8</sup>Black - Average yield at approximately 5% print coverage. Cyan, Magenta and Yellow - Average continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners.

ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.

