

## Lexmark XC2132 Colour Laser MFP



Model shown features additional options

## Robust. Reliable Performance.



Colour



Duplex  
Printing



Solutions



Duplex  
RADF



Up to  
30 ppm



Security



17.8cm (7-inch)  
Touch Screen



Network



Fax

**LEXMARK**<sup>TM</sup>



## Lexmark XC2132



### Why Lexmark.

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high quality products, solutions, and services help improve productivity, increase efficiency and empower employees to perform at their best.



### Eco-responsible.

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high quality output with reliable performance. And at the same time, help you minimise the number of cartridges you use over the life of a printer and conserve paper and energy.

The Lexmark Cartridge Collection Programme provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Programme availability and details vary by country.



### Environmental protection is a shared responsibility.

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

#### Our memberships include

- AeA Europe
- Ecma International
- Electronics Industry Citizenship Coalition (EICC)
- DIGITALEUROPE
- European Information & Communications Technology Industry Association (EICTA)
- Information Technology Industry Council (ITI) Environmental Leadership Council




## Lexmark XC2132 Overview



**Powerful performance.** The Lexmark XC2132 multifunction systems will help propel your business forward. Our solutions capable, eco-friendly systems can simplify processes and help you quickly respond to changing business needs.

- Process even the most complex jobs utilising the 800MHz dual-core processing power and up to 3GB of memory, with print and copy speeds up to 30 ppm with time to first page in as little as 10.8 seconds; in black (monochrome)
- Produce professional colour in-house, on demand output with a system that delivers consistent image quality on a diverse range of materials
- Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job



**Accurate Colour.** The Lexmark XC2132 Series MFP delivers rich, consistent colour printing that can enhance your company's materials and brand. It's faster and more reliable than ever.

- Professional colour matching - Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurate colour matching
- High resolution graphics - with up to true 1200x1200 dpi resolution, images and graphics stay crisp. Lexmark's Unison™ Toner ensures consistent quality, too
- Super fast and quiet output - quickly print, copy and scan up to 30 pages per minute in black only, plus produce a 1-page colour document in as little as 11.5 seconds in colour



**Easy and intuitive.** The Lexmark XC2132 is designed for easy operation to allow you to stay focused on customer engagements instead of routine maintenance.

- Easy to navigate 17.8cm (7-inch) touch screen provides audible feedback to make completing tasks intuitive, and with print and scan preview features you can select documents or specific pages within a document
- Extend your environmental responsibility with energy-efficient settings such as the Sleep Button and Hibernate Mode, and instant warm-up fuser helps reduce energy consumption and improve time to first page
- Manage your devices with available software, scan to multiple destinations, including scan to network, email, FTP, fax, and more
- For higher volume print needs, optional input capacity can be added to keep jobs moving



## Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark XC2132 platform lets you interact with business applications directly on the device or with a server, on premise or hosted in "the cloud". Reduce unnecessary printing and simplify work processes with Lexmark solutions.

## Lexmark XC2132 Solutions

**Navigate to efficiency.** The Lexmark colour touch screen is a key access point to your device. The customisable, 17.8 cm (7-inch) interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.



The following are examples of preloaded solutions on XC2132 MFPs.



### Multi Send

Capture and route a document to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders, or FTP sites.



### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



### Scan to Network Basic

Scan a hard copy document and route the image to one of 30 pre-defined or public shared network folders.



### Customer Support

This application provides you with an easy way to send information about your device to your authorised dealer or internal help desk.



### Device Quotas

Lexmark Device Quotas allows an administrator to configure user level quotas for print, scan, copy, and outbound fax.

Additional Lexmark solutions are available through your authorised Lexmark Business Solutions Dealers.



## Lexmark XC2132 Vertical Solutions



### Professional quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment – where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data, and deliver information to the right place, at the right time, and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions\*. Solutions are customised through your dealer.

\* Optional software available. Licensing fees may apply.



### Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

**Device management.** Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec), and 802.1x support to remotely monitor and manage device usage.

**Device hardening.** Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates that enhance the security of the device's network interface.

**Device operation.** Reduce vulnerabilities with authentication and authorisation features, address book lookup via LDAP over SSL and device lockout for protection of user information.

### Lexmark has shown its strength and leadership with respect to security.

- Forming and chairing the group that created the IEEE 2600 standards for security on hard copy devices.
- Becoming the first hard copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation.



# Lexmark XC2132 Key Features



XC2132 with 7-inch colour touch screen

## Features that help you optimise your work



### 1) Intuitive colour touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible and tactile feedback when you use the touch screen.



### 2) Flexible media handling

Print on a wide range of media with built-in 2-sided printing. Add additional input capacity up to 1450+1 pages for higher volume output needs.



### 3) Professional Colour Matching

Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurately matching your colours.



### 4) Automatic document feeder

Save time by scanning both sides of your document with robust colour-scanning capabilities



### 5) Direct USB

The front USB port allows for convenient walk-up preview, and printing and is compatible with most printable image file formats.



### 6) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



### 7) Innovative Unison™ Toner


Advanced toner science – powerful enough to deliver consistently outstanding image quality, with a shake free print system.



### 8) Eco-friendly features

Easy-to-access features like Eco-Mode to reduce paper and toner consumption, the Sleep Button and Hibernate Mode make it easy to print responsibly and help you save energy.

# Lexmark XC2132 Ordering Information



Standard  
Optional

## XC2132

Part #	Model	57X9012	2048MBx32 DDR3-DRAM
3077136	Lexmark XC2132	57X9101	256MB Flash Memory Card
Part #	Laser Toner/Print Cartridge	57X9115	Japanese Font Card
24B6011	Black Toner Cartridge	57X9114	Korean Font Card
24B6008	Cyan Toner Cartridge	57X9112	Simplified Chinese Font Card
24B6009	Magenta Toner Cartridge	57X9110	Traditional Chinese Font Card
24B6010	Yellow Toner Cartridge	Part #	Application Solutions
70C0Z10	700Z1 Black Imaging Kit	38C5054	CX510 Forms and Bar Code Card
70C0Z50	700Z5 Black and Colour Imaging Kit	38C5055	CX510 Card for PRESCRIBE Emulation
70C0D10	700D1 Black Developer Unit	Part #	Connectivity
70C0D20	700D2 Cyan Developer Unit	1021294	USB (2 Meter) Cable
70C0D30	700D3 Magenta Developer Unit	27X0125	MarkNet N8352 802.11b/g/n Wireless Print Server Kit
70C0D40	700D4 Yellow Developer Unit	Part #	Service Parts
70C0P00	700P Photoconductor Unit	40X7616	Fuser Maintenance kit, 220-240V
C540X75G	Waste Toner Bottle (18K)	40X7610	Image Transfer Unit
Part #	Paper Handling	40X7623	Fuser, 220-240V
38C0626	550-Sheet Duo Tray with 100-Sheet MPF	40X9108	ADF Separator Roller
38C0636	550-Sheet Tray		
Part #	Furniture		
35S8502	Adjustable Stand		
3073173	Swivel Cabinet		
Part #	Memory Options		
57X9016	1024MBx32 DDR3-DRAM		

# Lexmark XC2132 Product Specifications



## Product specifications

## Lexmark XC2132

Printing	
Function	Colour Scanning, Colour Printing, Colour Faxing, Colour Copying
Display	Lexmark e-Task 17.8 cm (7-inch) colour touch screen
Print Speed: Up to <sup>4</sup>	Black: 30 ppm / Colour: 30 ppm
Time to First Page: As fast as	Black: 10.5 seconds / Colour: 11.5 seconds
Print Resolution	Black: 4800 Colour Quality (2400 x 600 dpi), 1200 x 1200 dpi / Colour: 4800 Colour Quality (2400 x 600 dpi), 1200 x 1200 dpi
Memory / Processor	Standard: 1024 MB / Maximum: 3072 MB / Processor: Dual Core, 800 MHz
Hard Disk	as standard
Recommended Monthly Page Volume <sup>2</sup>	1500 - 7000 Pages
Maximum Monthly Duty Cycle: Up to <sup>3</sup>	85000 pages per month
Copying	
Copy Speed: Up to <sup>4</sup>	Black: 30 cpm / Colour: 30 cpm
Time to First Copy: As fast as	Black: 10.8 seconds / Colour: 11.6 seconds
Reduce / Enlarge Range	25 - 400%
Colour Scanning	
Duplex Scan Speed: Up to	A4/Ltr, Black: 13 / 14 sides per minute - A4/Ltr, Colour: 13 / 14 sides per minute
Simplex Scan Speed: Up to	A4/Ltr, Black: 30 / 32 sides per minute - A4/Ltr, Colour: 30 / 32 sides per minute
Scanner Type / ADF Scan	Flatbed scanner with ADF / RADF (reversing Duplex) / 50 pages 75 gsm bond
Optical Scanning Resolution	1200 X 600 ppi (black), 600 X 600 ppi (colour)
Faxing	
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps
Supplies	
Laser Cartridge Yields	6,000 <sup>1</sup> -page Black Extra High Yield Cartridge, 3,000 <sup>1</sup> -page Colour (CMY) Extra High Yield Cartridges
Cartridge(s) Shipping with Product	8,000 <sup>1</sup> -page Black Extra High Yield Return Program Toner Cartridge, 4,000 <sup>1</sup> -page Colour (CMY) Extra High Yield Return Program Toner Cartridges
Paper Handling	
Included Paper Handling	Single-Sheet Manual Feed, 150-Sheet Output Bin, 250-Sheet Input, Integrated Duplex
Optional Paper Handling	550-Sheet Duo Tray with 100-Sheet Feeder, 550-Sheet Tray
Paper Input Capacity: Up to	Standard: 250+1 pages 75 gsm bond / Maximum: 1450+1 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 150 pages 75 gsm bond / Maximum: 150 pages 75 gsm bond
Media Types Supported	Refer to the Card Stock & Label Guide, Plain Paper, Paper Labels, Card Stock, Transparencies
Media Sizes Supported	Oficio, A5, A4, Executive, Universal, Legal, JIS-B5, Folio, Letter
General	
Standard Ports	Rear USB 2.0 Specification Hi-Speed Certified port (Type A), Front USB 2.0 Specification Hi-Speed Certified port (Type A), USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000)
Optional Network Ports / Optional Local Ports	MarkNet N8352 802.11b/g/n Wireless
Noise Level, Operating	Printing: 50 dBA / Copy: 50 dBA / Scan: 49 dBA
ENERGY STAR	Yes
Specified Operating Environment	Altitude: 0 - 2896 Meters (9,500 Feet), Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity
Size (mm. - H x W x D) / Weight (kg)	470 x 444 x 589 mm / 28.2 kg

<sup>1</sup> Yield at approximately 5% print coverage per colour. <sup>2</sup> "Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup> "Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>4</sup> Print and copy speeds measured in accordance with ISO/IEC 24734, excludes first set of test documents. For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).



Unison is a trademark of Lexmark International, Inc. Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PANTONE® is a registered trademark of Pantone, Inc. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice.