# WorkForce Enterprise WF-C20590



Print high-quality documents at superfast 100ipm speeds with this reliable and environmentally-friendly departmental colour A3 business MFP.

The WorkForce Enterprise business inkjet printer combines ultra-fast performance with low energy consumption. Designed for printing high volume jobs, this environmentally smart multifunction business printer is capable of delivering superb print quality at superfast speeds up to 100ipm.

#### High speed

Discover excellent quality at incredibly high speeds. Enjoy consistently superb image quality at 600 x 2400dpi and print speeds up to 100 images per minute in simplex and duplex, matching and even beating most laser printers. Take advantage of up to one and a half times faster for first page out and two and a half times faster for typical business print jobs of just a few pages than colour lasers and copiers<sup>1</sup>.

#### Reduces environmental impact

Use up to 88% less energy compared to lasers<sup>1</sup>. With low waste supplies and a simple working mechanism the WorkForce Enterprise reduces the environmental impact of print, by providing a low power solution with fewer supplies required. Enjoy a high paper capacity of 5,350 sheets, and print up to 100K black<sup>2</sup> or 50K colour pages without replenishing ink.

# Quality without compromise

Increase productivity without sacrificing quality with this multi-function printer. The combination of Epson's PrecisionCore linehead inkjet technology, liquid inks and efficient paper transport mechanism gives you a printer that delivers.

#### Advanced integration improves workflow

Take advantage of a wide range of software solutions from remote management to accounting and Follow Me Solutions. These can be integrated into your existing IT infrastructure to improve productivity and increase efficiency.

#### DATASHEET / BROCHURE



































## **KEY FEATURES**

- Radically fast
   Up to 100ipm plus high-speed dual scan
- High reliability
   Elegantly simple mechanism for
   environments where downtime is not an
   option
- High capacity
   Print up to 100k<sup>2</sup> black or 50k colour pages without replenishing ink
- Cut environmental impact
  Use to 88% less energy compared to lasers<sup>1</sup>
- Built for business
   Take advantage of a wide range of software solutions



#### PRODUCT SPECIFICATIONS

**TECHNOLOGY** 

Printing Method PrecisionCore™ TFP print head

Nozzle Configuration 8,676 Nozzles black, 8,676 Nozzles per colour

Minimum Droplet Size 3.5 pl

 Ink Technology
 DURABrite™ Pro

 Application
 Office Departmental

 All-in-One Functions
 Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 5 Seconds, Colour 5 Seconds
Printing Speed ISO/IEC 24734 100 pages/min Monochrome, 100 pages/min Colour
Duplex Printing Speed 100 A4 pages/min Monochrome, 100 A4 pages/min Colour

ISO/IEC 24734

Printing Speed ISO/IEC 24734 54 pages/min Monochrome, 54 pages/min Colour

(A3)

Duplex Printing Speed 36 A4 pages/min Monochrome, 36 A4 pages/min Colour

ISO/IEC 24734 (A3)

Maximum Printing Speed 100 pages/min Monochrome (plain paper), 100 pages/min Colour (plain paper)

Printing Resolution 600 x 2,400 dpi

Max Duty cycle 400,000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle 8,000 - 100,000 pages per month
Colours Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit http://www.epson.eu/testing.

For detailed information on printing speeds please visit http://www.epson.eu/testing

SCAN

Scanning Speed (new) 60 ipm ( Monochrome, Single-sided, 200 dpi, ADF ) \* Scanning in accordance with ISO/IEC

17991; 110 ipm (Monochrome, Double-sided, 200 dpi, ADF) \* Scanning in accordance with ISO/IEC 17991; 60 ipm (Colour, Single-sided, 200 dpi, ADF) \* Scanning in accordance with ISO/IEC 17991; 110 ipm (Colour, Double-sided, 200 dpi, ADF) \* Scanning in accordance with ISO/IEC 17991; 60 ipm (Colour, Single-sided, 300 dpi, ADF) \* Scanning in accordance with ISO/IEC 17991; 85 (Colour, Double-sided, 300 dpi, ADF) \* Scanning in accordance with

ISO/IEC 17991;

Scanning Resolution 600 dpi x 1,200 dpi (Horizontal x Vertical)
Optical Resolution (ADF) 600 dpi x 600 dpi (Horizontal x Vertical)

Advanced document E-mail, FTP, USB, Computer (Epson Document Capture Pro), USB Memory Device

integration

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

FAX

Type of fax Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page

Error correction mode CCITU/ITU Group3 fax with Error Correction Mode

Fax speed dials (max) 2,000 names and numbers

Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

Fax Functions Auto Redial, Address Book, Delay Send, Broadcast Fax

WorkForce Enterprise WF-C20590

#### WHAT'S IN THE BOX

- Power cable
- Information sheet
- User guide



#### PRODUCT SPECIFICATIONS

**WorkForce Enterprise WF-C20590** 

COPY

Copy Speed up to 100 ipm Black, up to 100 ipm Colour

\*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

Copy resolution (dpi) 600 x 1200
Reduction / Enlargement 25 % - 400 %
Maximum number of copies 9,999
Maximum Copy Size A3

CONNECTIVITY

Network Printing Protocols LPR, FTP, IPP, LPD, Port 9100, TCP/IPv4, TCP/IPv6, IPSec, WSD-Print

Network Management SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping, SMTP,

Protocols TCP/IPv4, TCP/IPv6, IPSec, IEEE 802.1X, DCHP, HTTPS, LDAP, SNMP 3.0

Network Scanning Protocols WSD-Scan, FTP

Interfaces USB 3.0, 10 Base-T, Ethernet interface (100 Base-TX / 10 Base-T), Gigabit ethernet interface,

Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n,

Wi-Fi Direct

Network Protocols TCP/IPv4, TCP/IPv6, TCP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS

PAPER / MEDIA HANDLING

Paper Formats A3, A4, Postcard, A3+, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL

(Envelope), Executive, Letter, Legal, HLT, No. 10 (Envelope), User defined

Automatic Document Feeder 150 pages

Compatible Paper Weight 60 g/m² - 350 g/m²

Duplex Yes (A4/A3, plain paper)

Standard Paper input 150 Sheets MP tray, 500 Sheets paper tray

Standard paper tray(s) 500-Sheet paper tray

Maximum paper input 5,350 Number of paper trays 4

PAPER FEED RASF

Paper Input Name RASF

Paper Formats A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope),

Letter, 20 x 25 cm, HLT, User defined

Custom sizes Min 55x 330 mm to Max 127x 1,200 mm

Compatible paper weight 60 g/m² - 350 g/m² Paper Capacity 1 150 80gsm

PAPER FEED C1

Paper Input Name C

Paper Formats A3, A4, A5, B4, B5, Letter, HLT, Executive Custom sizes Min 140x 297 mm to Max 182x 432 mm

Compatible paper weight 60 g/m² - 160 g/m²
Paper Capacity 1 550 80gsm

{SPECGROUPNAMEPAPERFEEDC2-C4}

Paper Input Name C2-C4

 Paper Formats
 A3, A4, A5, B4, B5, Letter, HLT

 Custom sizes
 Min 140x 297 mm to Max 182x 432 mm

Compatible paper weight 60 g/m² - 160 g/m²
Paper Capacity 1 550 80gsm

PAPER FEED LCT

 Paper Input Name
 LCT

 Paper Formats
 A4, Letter

 Compatible paper weight
 60 g/m² - 160 g/m²

 Paper Capacity 1
 3,000 80gsm

PAPER FEED DUPLEX

Paper Input Name Duplex

Compatible paper weight 60 g/m² - 160 g/m²



#### PRODUCT SPECIFICATIONS

GENERAL

Systems

Energy Use 180 W (standalone copying, ISO/IEC 24712 pattern), 1.4 W (sleep mode), 77 W (Ready), 0.4 W

(Power off), ENERGY STAR® qualified, TEC 1.3 kWh/week

Supply Voltage AC 100 V - 240 V

674 x 757 x 1.230 mm (Width x Depth x Height) Product dimensions

Product weight 180.28 kg

7.5 B (A) according to ISO 7779 pattern with Epson Premium Glossy Photo Paper / Photo RPM Noise Level

mode - 59 dB (A) according to ISO 9296

Compatible Operating Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X

10.6.8. Windows 10. Windows 7. Windows 8. Windows 8.1. Windows Server 2008 R2.

Windows Server 2012 R2, Windows Vista, Windows XP SP2 or higher, Windows server 2003

R2. XP Professional x64 Edition

Power Supply 220V, 240V

ADDITIONAL FEATURES

3 GB included Memory **Features** Touchscreen

LCD screen Type: Colour, Touchscreen, Diagonal: 22.7 cm

Media Handling Duplex (A4/A3, plain paper)

Security Functions Secure confidential printing with PIN code release, IPsec, IEEE802.1x, SSL (Server

authentication)

OTHER FEATURES

Emulations PCL5c, PCL6, PostScript 3, PDF 1.7, ESC/P, ESC/P-R

#### **SUPPLIES**

WorkForce Enterprise WF-C20590 Black Ink	C13T858100	50,000 pages
WorkForce Enterprise WF-C20590 Cyan Ink	C13T858200	50,000 pages
WorkForce Enterprise WF-C20590 Magenta Ink	C13T858300	50,000 pages
Maintenance box	C13T671300	
WorkForce Enterprise WF-C20590 Yellow Ink	C13T858400	50,000 pages
<ul> <li>WorkForce Enterprise WF-C17590/C20590 Staples</li> </ul>	C13S210061	

### **OPTIONAL ACCESSORIES**

- 3000-sheet High Capacity Paper Tray WF-C17590/WF-C20590 C12C933041
- 4000-Sheet Stapler / Stacker unit WF-C17590/WF-C20590 C12C933261
- Optional Bridge Unit for WF-C17590 WF-C20590 Series C12C933081
- Cassette Lock for WF-C17590/WF-C20590 Series C12C933231

## LOGISTICS INFORMATION

SKU	C11CE47401BY
EAN code	8715946646718
Dimensions Single Carton	820 x 860 x 1510 mm
Carton Weight	208.06 Kg
Layer	1 Units
Layer Block	1 Units







For more information please contact:

Home users: 0343 90 37766 Business users\*: 0871 42 37766 Republic of Ireland: 01 436 7742

Or visit us at https://www.epson.co.uk/contactus \* 10p per minute plus network extras.

Web: www.epson.co.uk www.epson.ie

# **WorkForce Enterprise WF-C20590**

#### **INK YIELD DATA**

	T8584
•	50,000 pages*
• • •	50,000 pages*

Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

- 1. As tested by BLI, over two months to Feb 2017, against a selection of competing machines, as commissioned by Epson. For more information visit
- www.epson.eu/inkjetsaving
  2. Black page yield of 100K pages achieved by two 50K cartridges. Both are required for operation.

