WorkForce Pro WF-M5299DW

DATASHEET / BROCHURE









Increase productivity and reduce intervention with this mono printer, all while reducing your business printing costs and environmental impact.

Take advantage of low power consumption, a low Total Cost of Ownership (TCO), a fast First Page Out Time (FPOT) and features designed for easy business integration with the new WorkForce Pro WF-M5299DW. This business inkjet printer benefits from automatic double-sided printing, making any job easy and efficient, and PDL compatibility, including PCL and PostScript 3.

High productivity and low intervention

Delivering the fastest (FPOT) in its segment of 4.8 seconds against comparable lasers¹. Print up to 40,000 pages without changing supplies with the largest ink yield in this segment². A paper capacity of up to 830 sheets with a 250-sheet main tray means less time spent refilling. A simple paper path and non contact printing allows it to print on a wide range of media including recycled paper, glossy media, envelopes and labels.

Energy saving and CSR

Benefit from significantly fewer consumables due to its high yield and inkjet technology. The energy used while printing is at least 90% less than comparable laser models¹, helping to cut your energy bills and boost your CSR.

Built for business

Perfect for small workgroups with a high print volume, typically within larger organisations where a robust mono printing solution is demanded. A range of software and tools provide secure print options and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. Its user interface is intuitive and easy to operate.

KEY FEATURES

- Save time
 With a fast FPOT
- Low intervention

 Print with minimal downtime
- Save time

High yield and paper capacity mean less time is spent refilling

- Built for business
 PDL compatibility (PCL and PostScript 3)
- PrecisionCore technology
 Epson's most advanced printhead technology



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head

Minimum Droplet Size With Variable-Sized Droplet Technology

DURABrite™ Ultra Ink Technology Office Workgroup Category

All-in-One Functions Print

PRINT

First Page Out Monochrome 4.8 Seconds Printing Speed ISO/IEC 24734 24 pages/min Monochrome **Duplex Printing Speed** 15 A4 Pages/min Monochrome

ISO/IEC 24734

Maximum Printing Speed 34 pages/min Monochrome (plain paper 75 g/m²)

Printing Resolution 1,200 x 2,400 DPI Printing Volume 45,000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle 250 - 2,500 pages per month

Colours Black

For detailed information on printing speeds please visit http://www.epson.eu/testing.

CONNECTIVITY

Network Management Protocols

Network Printing Protocols LPR, FTP, IPP, LDP, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP

2.0c, SNMP 3.0, SNMP Trap

Network Scanning Protocols NetBIOS over TCP/IP, Bonjour/Airprint, FTP

Interfaces

Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near

Field Communication (NFC)

WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES) WLAN Security **Network Protocol** TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS

PAPER / MEDIA HANDLING

Paper Formats C4 (Envelope), Legal, A6 (10.5x14.8 cm), A5 (14.8x21.0 cm), B5 (17.6x25.7 cm), Letter, 9 x 13

cm, 10 x 15 cm, 13 x 18 cm, A4 (21.0x29.7 cm), B6 (12.5x17.6 cm), C5 (Envelope), No. 10

(Envelope), User defined, C6 (Envelope), DL (Envelope)

Compatible Paper Weight

64 g/m² - 256 g/m²

Duplex Yes

Standard Paper input 330 Sheets Standard, 80 Sheets MP tray, 250 Sheets paper tray

Output Tray Capacity 150 Sheets

Standard paper tray(s) 80-Sheet Multi-Purpose Tray, 250-sheet paper tray

Yes

Optional paper trav(s) 2 x 500-Sheet paper trav Maximum paper input 1,330

Rear paper path (special

media)

Number of paper trays 3 WorkForce Pro WF-M5299DW

WHAT'S IN THE BOX

- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)
- Initialization Ink Supply Units



PRODUCT SPECIFICATIONS

WorkForce Pro WF-M5299DW

PAPER FEED RASE

Paper Input Name RAS

Paper Formats A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal

Custom sizes Min 64x 127 mm to Max 216x 6,000 mm

Compatible paper weight 64 g/m² - 256 g/m²

Paper Capacity 1 80 Sheets of Plain Paper, Postcards, Envelopes, Labels, 80gsm Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED C1

Paper Input Name C1

Paper Formats A4, A5, A6, Letter

Custom sizes Min 89x 127 mm to Max 216x 356 mm

Compatible paper weight 64 g/m² - 160 g/m²

Paper Capacity 1 250 Sheets of Plain Paper, Envelopes, 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED C2

Paper Input Name C2
Paper Formats A4, Letter

Custom sizes Min 100x 148 mm to Max 216x 356 mm

Compatible paper weight 64 g/m² - 160 g/m²

Paper Capacity 1 500 Sheets of Plain Paper, 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name Duplex

Paper Formats A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive

Custom sizes Min 148x 210 mm to Max 216x 297 mm

Compatible paper weight 64 g/m² - 160 g/m²

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

GENERAL

Energy Use 1.1 Watt (sleep mode), 23 Watt (Printing), 7 Watt (Ready), 0.2 Watt (Power off), TEC 0.16

kWh/week

Supply Voltage AC 220 V - 240 V, 50 Hz - 60 Hz

Product dimensions 425 x 535 x 357 mm (Width x Depth x Height)

Product weight 14.9 kg

Compatible Operating Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS Systems 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X

X 10.12.x, Mac OS X 10.6.8, SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP

Professional x64 Edition, XP Professional x64 Edition SP2

Sound Power Operation: 6.9 B (A)
Noise Operation: 55 dB (A)

Mobile and Cloud printing Epson

services

Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print

Power supply 220V, 240V

ADDITIONAL FEATURES

Features Direct Print, Direct print from USB Panel Type: Color, Diagonal: 6.1 cm

Media Handling Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support Security Functions Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

OTHER FEATURES

Emulations PCL6, PostScript 3, ESC/P-R, PDF 1.7, PCL5e

OTHER

Warranty 12 months On-site service

Optional warranty extension available



SUPPLIES

Maintenance box	C13T671600	
WF-M52xx/57xx Series Ink Cartridge L Black	C13T964140	5,000 pages
WF-M52xx/57xx Series Ink Cartridge XL Black	C13T965140	10,000 pages
 WF-M52xx/57xx Series Ink Cartridge XXL Black 	C13T966140	40,000 pages

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette C12C932871
- Medium Cabinet for WF-5000 series 7112285
- High Cabinet for WF-5000 Series 7112284
- Low Cabinet for WF-5000 series
 7112286

LOGISTICS INFORMATION


SKU	C11CG07401BY
EAN code	8715946634289
Country of Origin	Indonesia
Layer	2 Units
Layer Block	2 Units

WorkForce Pro WF-M5299DW

INK YIELD DATA

ESPECIAL	T9641	T9651	T9661
•	5,000	10,000	40,000
	pages*	pages*	pages*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield



2. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Comparison made against the top 20 best selling mono laser printers in Western Europe and Central and Eastern Europe, with a print speed between 21 and 45 pages per minute, as defined by IDC in the 12 months up to December 2017. Data taken from BLI where possible, or as stated by manufacturers' websites.



For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742
Or visit us at https://www.epson.co.uk/contactus
* 10p per minute plus network extras.

Web: www.epson.co.uk

